

Cubbyhole 2

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Jeff Maass L-1192

START POSITION: Standing in Box A, both hands flat on top of barrels.

STAGE PROCEDURE

On signal, engage steel (PP1, PP2, USP1, USP2) from Box A ONLY, and engage other targets as they are visible. *From Area B*

SCORING

SCORING: Comstock, 12 rounds, 60 points

TARGETS: 4 IPSC, 2 PP, 2 USP

SCORED HITS: Best 2 per IPSC, steel down = 1A

START-STOP: Audible - Last shot

PENALTIES: Procedural. -10

No-shoot hit. -10


Miss. -10



PP1





USP1



USP2



PP2



SETUP NOTES:

Set steel at least 30 feet from Box A, with surfaces facing Box A. Side walls and removable cover for 'cubby' may be constructed of 1x2 lath and black plastic. T1, T2, T3, T4, and the associated no-shoot are mounted close to the ground. Port A is 1.5-foot square, and starts 1.5 feet from the ground. From Box A, only the no-shoot is visible through Port A.

RO NOTES:

jam981231c

Hanging out in two's

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Joe Moran

START POSITION: Standing Start box. Hand gun is loaded and holstered, PCC held with stock touching belt


STAGE PROCEDURE

On signal engage targets with two rounds each from within the fault lines..

SCORING

SCORING: Comstock, 18 rounds , 90 points
TARGETS: 9 IPSC,
SCORED HITS: Best 2 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
 No-shoot hit. -10
 Miss. -10

T1 T2 T3 T4 T5 T6 T7 T8 T9



Start

Set up notes:

RO Notes:

QUICK FUN

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Joe Moran

START POSITION: Standing on XX, handgun is loader and holstered per 8.1.1, 8.1.2

STAGE PROCEDURE

On signal engage targets as they become visible from within fault lines.

SCORING

SCORING: Comstock, 24 rounds, 120 points
TARGETS: 12 IPSC,
SCORED HITS: Best 2 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural, -10
 No-shoot hit, -10
 Miss, -10

T1


T2-3

T4-6

T7-9

T10-11

T12



Set up notes:

RO Notes:

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Joe Moran

START POSITION: Standing in any box. Hand gun is loaded and holstered, PCC held with stock touching belt

STAGE PROCEDURE

On signal engage targets with one round each from Box A, Repeat from box B & C. Boxes may be shot in any order.

SCORING

SCORING: Comstock, 18 rounds , 90 points
TARGETS: 6 IPSC,
SCORED HITS: Best 3 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
 No-shoot hit. -10
 Miss. -10

T1

T2

T3

T4

T5

T6



C

A

B

Set up notes:

RO Notes:



CM 06-10

Steely Speed VII

RULES: USPSA Handgun Competition Rules, current edition COURSE DESIGNER: Nationals Design Team

START POSITION: Standing behind barricade, hands on X's. Handgun is loaded and holstered as per ready condition in rule 8.1.1 and 8.1.2.

STAGE PROCEDURE

Upon start signal, engage all targets as visible. All rounds must be fired within the confines of the fault lines.

SCORING


SCORING: Comstock, 6 rounds, 30 points

TARGETS: 3 Pepper poppers, 3 Mini-poppers

SCORED HITS: KD = 1A

START - STOP: Audible - Last shot

PENALTIES: Per current edition of USPSA Handgun Competition Rules



SETUP NOTES: The popper array is centered on the 2-foot-by-6-foot barricade, 36 feet down range. The poppers are spaced 2 feet on center. Center of X's on barricade are 60 inches above ground, 12 inches apart, and each is 6 inches in from either edge.



CM 06-10 Steely Speed VII

Written Stage Briefing

Steely Speed VII is a 6 round, 30 point, Comstock classifier course. There are 3 Pepper poppers and 3 mini poppers. Steel must fall to score. The start signal is audible.

The start position is standing in Box A, facing downrange, hands on X's. Your handgun is loaded and holstered.

PCC start position is standing in Box A, facing downrange, stock on belt, muzzle touching the mark, loaded carbine held in both hands with safety on.

On the audible start signal, engage targets from within the fault lines.

Note: The mark for PCC is 3 feet above ground in center of the barricade.

